KPDES FORM 1

AI: 6897



KENTUCKY POLLUTANT DISCHARGE ELIMINATION SYSTEM

SEP - 7 2007

PERMIT APPLICATION

This is an application to: (check one)

- ☐ Apply for a new permit.
- ☒ Apply for reissuance of expiring permit.
- ☐ Apply for a construction permit.
- ☐ Modify an existing permit.
  Give reason for modification under Item II.A.

A complete application consists of this form and one of the following:
Form A, Form B, Form C, Form F, or Short Form C

For additional information contact:
KPDES Branch (502) 564-3410

$450.00

I. FACILITY LOCATION AND CONTACT INFORMATION	AGENCY USE	0	0	0	1	7	3	2

A. Name of business, municipality, company, etc. requesting permit
Hunters Heights, LLC

B. Facility Name and Location	C. Facility Owner/Mailing Address
Facility Location Name: same as A	Owner Name: Hunters Heights, LLC
Facility Location Address (i.e. street, road, etc.): 250 Hunter Heights Road	Mailing Street: 3638 North State Road 7
Facility Location City, State, Zip Code: Milton KY 40045	Mailing City, State, Zip Code: Madison IN 47250
	Telephone Number: 812-273-2045

II. FACILITY DESCRIPTION

A. Provide a brief description of activities, products, etc: Dry storage warehouse and office space

B. Standard Industrial Classification (SIC) Code and Description

Principal SIC Code & Description:	2F/3A - Warehouse and office space		
Other SIC Codes:			

III. FACILITY LOCATION

A. Attach a U.S. Geological Survey 7 ½ minute quadrangle map for the site. (See instructions)

B. County where facility is located: Carroll	City where facility is located (if applicable): N/A
C. Body of water receiving discharge: Ohio River	
D. Facility Site Latitude (degrees, minutes, seconds): 38 degrees, 43 minutes, 57 seconds	Facility Site Longitude (degrees, minutes, seconds): 85 degrees, 17 minutes, 35 seconds
E. Method used to obtain latitude & longitude (see instructions):	
F. Facility Dun and Bradstreet Number (DUNS #) (if applicable):	

IV. OWNER/OPERATOR INFORMATION

A. Type of Ownership:
☐ Publicly Owned ☒ Privately Owned ☐ State Owned ☐ Both Public and Private Owned ☐ Federally owned

B. Operator Contact Information (See instructions)

Name of Treatment Plant Operator:	Telephone Number:
Mark Bates	502-347-0317
Operator Mailing Address (Street): 1651 Dividing Ridge	
Operator Mailing Address (City, State, Zip Code): Sanders, KY 41083	
Is the operator also the owner? Yes ☐ No ☒	Is the operator certified? If yes, list certification class and number below. Yes ☒ No ☐
Certification Class: II	Certification Number: 06727

V. EXISTING ENVIRONMENTAL PERMITS

Current NPDES Number:	Issue Date of Current Permit:	Expiration Date of Current Permit:
Number of Times Permit Reissued:	Date of Original Permit Issuance:	Sludge Disposal Permit Number:
Kentucky DOW Operational Permit #:	Kentucky DSMRE Permit Number(s):	

C. Which of the following additional environmental permit/registration categories will also apply to this facility?

CATEGORY	EXISTING PERMIT WITH NO.	PERMIT NEEDED WITH PLANNED APPLICATION DATE
Air Emission Source		
Solid or Special Waste		
Hazardous Waste - Registration or Permit		

VI. DISCHARGE MONITORING REPORTS (DMRs)

KPDES permit holders are required to submit DMRs to the Division of Water on a regular schedule (as defined by the KPDES permit). The information in this section serves to specifically identify the department, office or individual you designate as responsible for submitting DMR forms to the Division of Water.

A. Name of department, office or official submitting DMRs:	Timoth B Breeding
B. Address where DMR forms are to be sent. (Complete only if address is different from mailing address in Section I.)	
DMR Mailing Name:	Hunter Heights, LLC
DMR Mailing Street:	3638 N State Road 7
DMR Mailing City, State, Zip Code:	Madison, IN 47250
DMR Official Telephone Number:	812-273-2045

VII. APPLICATION FILING FEE

KPDES regulations require that a permit applicant pay an application filing fee equal to twenty percent of the permit base fee. Please examine the base and filing fees listed below and in the Form 1 instructions and enclose a check payable to "Kentucky State Treasurer" for the appropriate amount. Descriptions of the base fee amounts are given in the "General Instructions."

Facility Fee Category:	Filing Fee Enclosed:
Small Non-POTW	450.00

VIII. CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME AND OFFICIAL TITLE (type or print):	TELEPHONE NUMBER (area code and number):
Timothy B Breeding, Member	812-273-2045
SIGNATURE 	DATE: 9-05-07

STATE OF INDIANA
DEPARTMENT OF NATURAL RESOURCES
INDIANAPOLIS, INDIANA

7.5 MINU



KPDES FORM C



KENTUCKY POLLUTANT DISCHARGE ELIMINATION SYSTEM

SEP - 7 2007

PERMIT APPLICATION

A complete application consists of this form and Form 1.
For additional information, contact KPDES Branch, (502) 564-3410.

Name of Facility: Hunters Heights, LLC	County: Carroll
I. OUTFALL LOCATION	AGENCY USE: 0 0 0 1 7 3 2

For each outfall list the latitude and longitude of its location to the nearest 15 seconds and the name of the receiving water.

Outfall No. (list)	LATITUDE			LONGITUDE			RECEIVING WATER (name)
	Degrees	Minutes	Seconds	Degrees	Minutes	Seconds	
002	38	43	30	85	16	30	Ohio River

II. FLOWS, SOURCES OF POLLUTION, AND TREATMENT TECHNOLOGIES

A. Attach a line drawing showing the water flow through the facility. Indicate sources of intake water, operations contributing wastewater to the effluent, and treatment units labeled to correspond to the more detailed descriptions in Item B. Construct a water balance on the line drawing by showing average flows between intakes, operations, treatment units, and outfall. If a water balance cannot be determined (e.g., for certain mining activities), provide a pictorial description of the nature and amount of any sources of water and any collection or treatment measures.

B. For each outfall, provide a description of: (1) all operations contributing wastewater to the effluent, including process wastewater, sanitary wastewater, cooling water, and storm water runoff; (2) the average flow contributed by each operation; and (3) the treatment received by the wastewater. Continue on additional sheets if necessary.

OUTFALL NO. (list)	OPERATION(S) CONTRIBUTING FLOW		TREATMENT	
	Operation (list)	Avg/Design Flow (include units)	Description	List Codes from Table C-1
002	Sanitary waste water	4600	Sedimentation	1-U
	toilets, showers, wash	GFD	Activated Sludge	3-A
	basin		Disinfection	2-F

II. FLOWS, SOURCES OF POLLUTION, AND TREATMENT TECHNOLOGIES (Continued)

C. Except for storm water runoff, leaks, or spills, are any of the discharges described in Items II-A or B intermittent or seasonal?

☐ Yes (Complete the following table.) ☒ No (Go to Section III.)

OUTFALL NUMBER (list)	OPERATIONS CONTRIBUTING FLOW (list)	FREQUENCY		FLOW				
		Days Per Week (specify average)	Months Per Year (specify average)	Flow Rate (in mgd)		Total volume (specify with units)		Duration (in days)
				Long-Term Average	Maximum Daily	Long-Term Average	Maximum Daily	

III. MAXIMUM PRODUCTION

A. Does an effluent guideline limitation promulgated by EPA under Section 304 of the Clean Water Act apply to your facility?

☐ Yes (Complete Item III-B) List effluent guideline category:

☒ No (Go to Section IV)

B. Are the limitations in the applicable effluent guideline expressed in terms of production (or other measures of operation)?

☐ Yes (Complete Item III-C) ☒ No (Go to Section IV)

C. If you answered "Yes" to Item III-B, list the quantity which represents the actual measurement of your maximum level of production, expressed in the terms and units used in the applicable effluent guideline, and indicate the affected outfalls.

MAXIMUM QUANTITY			Affected Outfalls (list outfall numbers)
Quantity Per Day	Units of Measure	Operation, Product, Material, Etc. (specify)	

IV. IMPROVEMENTS

A. Are you now required by any federal, state or local authority to meet any implementation schedule for the construction, upgrading, or operation of wastewater equipment or practices or any other environmental programs which may affect the discharges described in this application? This includes, but is not limited to, permit conditions, administrative or enforcement orders, enforcement compliance schedule letters, stipulations, court orders and grant or loan conditions.

☐ Yes (Complete the following table) ☒ No (Go to Item IV-B)

IDENTIFICATION OF CONDITION AGREEMENT, ETC.	AFFECTED OUTFALLS		BRIEF DESCRIPTION OF PROJECT	FINAL COMPLIANCE DATE	
	No.	Source of Discharge		Required	Projected

B. OPTIONAL: You may attach additional sheets describing any additional water pollution control programs (or other environmental projects which may affect your discharges) you now have under way or which you plan. Indicate whether each program is now under way or planned, and indicate your actual or planned schedules for construction.

V. INTAKE AND EFFLUENT CHARACTERISTICS

A, B, & C: See instructions before proceeding – Complete one set of tables for each outfall – Annotate the outfall number in the space provided.
NOTE: Tables V-A, V-B, and V-C are included on separate sheets numbered 5-18.

D. Use the space below to list any of the pollutants (refer to SARA Title III, Section 313) listed in Table C-3 of the instructions, which you know or have reason to believe is discharged or may be discharged from any outfall. For every pollutant you list, briefly describe the reasons you believe it to be present and report any analytical data in your possession.

POLLUTANT	SOURCE	POLLUTANT	SOURCE

VI. POTENTIAL DISCHARGES NOT COVERED BY ANALYSIS

A. Is any pollutant listed in Item V-C a substance or a component of a substance which you use or produce, or expect to use or produce over the next 5 years as an immediate or final product or byproduct?

☐ Yes (List all such pollutants below) ☒ No (Go to Item VI-B)

B. Are your operations such that your raw materials, processes, or products can reasonably be expected to vary so that your discharge of pollutants may during the next 5 years exceed two times the maximum values reported in Item V?

☐ Yes (Complete Item VI-C) ☒ No (Go to Item VII)

C. If you answered "Yes" to Item VI-B, explain below and describe in detail to the best of your ability at this time the sources and expected levels of such pollutants which you anticipate will be discharged from each outfall over the next 5 years. Continue on additional sheets if you need more space.

VII. BIOLOGICAL TOXICITY TESTING DATA

Do you have any knowledge of or reason to believe that any biological test for acute or chronic toxicity has been made on any of your discharges or on a receiving water in relation to your discharge within the last 3 years?

☐ Yes (Identify the test(s) and describe their purposes below) ☒ No (Go to Section VIII)

VIII. CONTRACT ANALYSIS INFORMATION

Were any of the analyses reported in Item V performed by a contract laboratory or consulting firm?

☐ Yes (list the name, address, and telephone number of, and pollutants analyzed by each such laboratory or firm below) ☒ No (Go to Section IX)

NAME	ADDRESS	TELEPHONE (Area code & number)	POLLUTANTS ANALYZED (list)

IX. CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME AND OFFICIAL TITLE (type or print):	TELEPHONE NUMBER (area code and number):
Timothy B. Breeding V.P.	812.273.2045
SIGNATURE Timothy B. Breeding	DATE 9-05-07

PLEASE PRINT OR TYPE IN THE UNSHADED AREAS ONLY. You may report some or all of this information on separate sheets (use the same format) instead of completin these pages. (See instructions)

V. INTAKE AND EFFLUENT CHARACTERISTICS (Continued from page 3 of Form C) | **OUTFALL NO.**

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

1. POLLUTANT	2. EFFLUENT						d. No. of Analyses	3. UNITS (specify if blank)		4. INTAKE (optional)		
	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)			a. Concentration	b. Mass	a. Long-Term Avg. Value		b. No Anal
	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
a. Biochemical Oxygen Demand (BOD)	26	8.59					17	MG/L				
b. Chemical Oxygen Demand (COD)												
c. Total Organic Carbon (TOC)												
d. Total Suspended Solids (TSS)	50	16.47					17	MG/L				
e. Ammonia (as N)							17	MG/L				
f. Flow (in units of MGD)	VALUE		VALUE		VALUE	.002	17		.002 MGD	VALUE		
g. Temperature (winter)	VALUE		VALUE		VALUE				°c	VALUE		
h. Temperature (summer)	VALUE		VALUE		VALUE				°c	VALUE		
i. pH	MINIMUM 6.31	MAXIMUM 7.90	MINIMUM	MAXIMUM					STANDARD UNITS			

Part B - Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"		3. EFFLUENT						d. No. of Analyses	4. UNITS		5. INTAKE (optional)		
	a. Believed Present	b. Believed Absent	a. Maximum Daily Value (1) Concentration	a. Maximum Daily Value (2) Mass	b. Maximum 30-Day Value (if available) (1) Concentration	b. Maximum 30-Day Value (if available) (2) Mass	c. Long-Term Avg. Value (if available) (1) Concentration	c. Long-Term Avg. Value (if available) (2) Mass		a. Concentration	b. Mass	a. Long-Term Avg. Value (1) Concentration	a. Long-Term Avg. Value (2) Mass	b. No. of Analyses
n. Sulfate (as SO_4) (14808-79-8)		X												
o. Sulfide (as S)		X												
p. Sulfite (as SO_4) (14286-46-3)		X												
q. Surfactants		X												
r. Aluminum, Total (7429-90)		X												
s. Barium, Total (7440-39-3)		X												
t. Boron, Total (7440-42-8)		X												
u. Cobalt, Total (7440-48-4)		X												
v. Iron, Total (7439-89-6)		X												
w. Magnesium Total (7439-96-4)		X												
x. Molybdenum Total (7439-98-7)		X												
y. Manganese, Total (7439-96-6)		X												
z. Tin, Total (7440-31-5)		X												
aa. Titanium, Total (7440-32-6)		X												

Part C – If you are a primary industry and this outfall contains process wastewater, refer to Table C-2 in the instructions to determine which of the GC/MS fractions you must test for. Mark "X" in the **Testing Required** colur for all such GC/MS fractions that apply to your industry and for ALL toxic metals, cyanides, and total phenols. If you are not required to mark this column (secondary industries, nonprocess wastewater outfalls, and non-requir GC/MS fractions), mark "X" in the **Believed Present** column for each pollutant you know or have reason to believe is present. Mark "X: in the **Believed Absent** column for each pollutant you believe to be absent. If you ma either the **Testing Required** or **Believed Present** columns for any pollutant, you must provide the result of at least one analysis for that pollutant. Note that there are seven pages to this part; please review each carefully. Compl one table (all seven pages) for each outfall. See instructions for additional details and requirements.

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value (1) Concentration	a. Maximum Daily Value (2) Mass	b. Maximum 30-Day Value (if available) (1) Concentration	b. Maximum 30-Day Value (if available) (2) Mass	c. Long-Term Avg. Value (if available) (1) Concentration	c. Long-Term Avg. Value (if available) (2) Mass	d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value (1) Concentration	a. Long-Term Avg Value (2) Mass	b. No. o Analys
METALS, CYANIDE AND TOTAL PHENOLS															
1M. Antimony Total (7440-36-0)			X												
2M. Arsenic, Total (7440-38-2)			X												
3M. Beryllium Total (7440-41-7)			X												
4M. Cadmium Total (7440-43-9)			X												
5M. Chromium Total (7440-43-9)			X												
6M. Copper Total (7550-50-8)			X												
7M. Lead Total (7439-92-1)			X												
8M. Mercury Total (7439-97-6)			X												
9M. Nickel, Total (7440-02-0)			X												
10M. Selenium, Total (7782-49-2)			X												
11M. Silver, Total (7440-28-0)			X												

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. o Analys
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
METALS, CYANIDE AND TOTAL PHENOLS (Continued)															
12M. Thallium, Total (7440-28-0)			X												
13M. Zinc, Total (7440-66-6)			X												
14M. Cyanide, Total (57-12-5)			X												
15M. Phenols, Total			X												
DIOXIN															
2,3,7,8 Tetra-chlorodibenzo, P, Dioxin (1784-01-6)			X	DESCRIBE RESULTS:											
GC/MS FRACTION – VOLATILE COMPOUNDS															
1V. Acrolein (107-02-8)			X												
2V. Acrylonitrile (107-13-1)			X												
3V. Benzene (71-43-2)			X												
5V. Bromoform (75-25-2)			X												
6V. Carbon Tetrachloride (56-23-5)			X												
7V. Chloro-benzene (108-90-7)			X												
8V. Chlorodibro-momethane (124-48-1)			X												

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. o Analys
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
9V. Chloroethane (74-00-3)			X												
10V. 2-Chloro-ethylvinyl Ether (110-75-8)			X												
11V. Chloroform (67-66-3)			X												
12V. Dichloro-bromomethane (75-71-8)			X												
14V. 1,1-Dichloroethane (75-34-3)			X												
15V. 1,2-Dichloroethane (107-06-2)			X												
16V. 1,1-Dichlorethylene (75-35-4)			X												
17V. 1,2-Di-chloropropane (78-87-5)			X												
18V. 1,3-Dichloropro-pylene (452-75-6)			X												
19V. Ethyl-benzene (100-41-4)			X												
20V. Methyl Bromide (74-83-9)			X												

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg. Value		b. No. o Analys
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
21V. Methyl Chloride (74-87-3)			X												
22V. Methylene Chloride (75-00-2)			X												
23V. 1,1,2,2-Tetrachloro-ethane (79-34-5)			X												
24V. Tetrachloro-ethylene (127-18-4)			X												
25V. Toluene (108-88-3)			X												
26V. 1,2-Trans-Dichloro-ethylene (156-60-5)			X												
27V. 1,1,1-Tri-chloroethane (71-55-6)			X												
28V. 1,1,2-Tri-chloroethane (79-00-5)			X												
29V. Trichloro-ethylene (79-01-6)			X												
30V. Vinyl Chloride (75-01-4)			X												

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value (1) Concentration	a. Maximum Daily Value (2) Mass	b. Maximum 30-Day Value (if available) (1) Concentration	b. Maximum 30-Day Value (if available) (2) Mass	c. Long-Term Avg. Value (if available) (1) Concentration	c. Long-Term Avg. Value (if available) (2) Mass	d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value (1) Concentration	a. Long-Term Avg Value (2) Mass	b. No. o Analys
GC/MS FRACTION – ACID COMPOUNDS															
1A. 2-Chloro-phenol (95-57-8)			X												
2A. 2,4-Dichlor-Orophenol (120-83-2)			X												
3A. 2,4-Dimeth-ylphenol (105-67-9)			X												
4A. 4,6-Dinitro-o-cresol (534-52-1)			X												
5A. 2,4-Dinitro-phenol (51-28-5)			X												
6A. 2-Nitro-phenol (88-75-5)			X												
7A. 4-Nitro-phenol (100-02-7)			X												
8A. P-chloro-m-cresol (59-50-7)			X												
9A. Pentachloro-phenol (87-88-5)			X												
10A. Phenol (108-05-2)			X												
11A. 2,4,6-Tri-chlorophenol (88-06-2)			X												
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS															
1B. Acena-phthene (83-32-9)			X												

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. o Analys
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS (Continued)															
2B. Acenaphtylene (208-96-8)			X												
3B. Anthracene (120-12-7)			X												
4B. Benzidine (92-87-5)			X												
5B. Benzo(a)-anthracene (56-55-3)			X												
6B. Benzo(a)-pyrene (50-32-8)			X												
7B. 3,4-Benzo-fluoranthene (205-99-2)			X												
8B. Benzo(ghl) perylene (191-24-2)			X												
9B. Benzo(k)-fluoranthene (207-08-9)			X												
10B. Bis(2-chloroethoxy)-methane (111-91-1)			X												
11B. Bis (2-chloroisopropyl)-Ether			X												
12B. Bis (2-ethylhexyl)-phthalate (117-81-7)			X												

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. o Analys
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS (Continued)															
13B. 4-Bromo-phenyl Phenyl ether (101-55-3)			X												
14B. Butyl-benzyl phthalate (85-68-7)			X												
15B. 2-Chloro-naphthalene (7005-72-3)			X												
16B. 4-Chloro-phenyl phenyl ether (7005-72-3)			X												
17B. Chrysene (218-01-9)			X												
18B. Dibenzo-(a,h) Anthracene (53-70-3)			X												
19B. 1,2-Dichloro-benzene (95-50-1)			X												
20B. 1,3-Dichloro-Benzene (541-73-1)			X												
21B. 1,4-Dichloro-benzene (106-46-7)			X												
22B. 3,3-Dichloro-benzidene (91-94-1)			X												
23B. Diethyl Phthalate (84-66-2)			X												

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value (1) Concentration	a. Maximum Daily Value (2) Mass	b. Maximum 30-Day Value (if available) (1) Concentration	b. Maximum 30-Day Value (if available) (2) Mass	c. Long-Term Avg. Value (if available) (1) Concentration	c. Long-Term Avg. Value (if available) (2) Mass	d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg. Value (1) Concentration	a. Long-Term Avg. Value (2) Mass	b. No. o Analys
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS (Continued)															
24B. Dimethyl Phthalate (131-11-3)			X												
25B. Di-N-butyl Phthalate (84-74-2)			X												
26B. 2,4-Dinitro-toluene (121-14-2)			X												
27B. 2,6-Dinitro-toluene (606-20-2)			X												
28B. Di-n-octyl Phthalate (117-84-0)			X												
29B. 1,2-diphenyl-hydrazine (as azonbenzene) (122-66-7)			X												
30B. Fluoranthene (208-44-0)			X												
31B. Fluorene (86-73-7)			X												
32B. Hexachloro-benzene (118-71-1)			X												
33B. Hexachloro-butadiene (87-68-3)			X												
34B. Hexachloro-cyclopenta-diene (77-47-4)			X												

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. o Analys
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS (Continued)															
35B. Hexachloroethane (67-72-1)			X												
36B. Indneo-(1,2,3-oc)-Pyrene (193-39-5)			X												
37B. Isophorone (78-59-1)			X												
38B. Napthalene (91-20-3)			X												
39B. Nitrobenzene (98-95-3)			X												
40B. N-Nitrosodimethylamine (62-75-9)			X												
41B. N-nitrosodi-n-propylamine (621-64-7)			X												
42B. N-nitrosodiphenylamine (86-30-6)			X												
43B. Phenanthrene (85-01-8)			X												
44B. Pyrene (129-00-0)			X												
45B. 1,2,4 Trichlorobenzene (120-82-1)			X												

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT							4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value		b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of Analyses	a. Concentration	b. Mass	a. Long-Term Avg. Value		b. No. o Analys
				(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass				(1) Concentration	(2) Mass	
GC/MS FRACTION – PESTICIDES															
1P. Aldrin (309-00-2)			X												
2P. α-BHC (319-84-6)			X												
3P. β-BHC (58-89-9)			X												
4P. gamma-BHC (58-89-9)			X												
5P. δ-BHC (319-86-8)			X												
6P. Chlordane (57-74-9)			X												
7P. 4,4'-DDT (50-29-3)			X												
8P. 4,4'-DDE (72-55-9)			X												
9P. 4,4'-DDD (72-54-8)			X												
10P. Dieldrin (60-57-1)			X												
11P. α-Endosulfan (115-29-7)			X												
12P. β-Endosulfan (115-29-7)			X												
13P. Endosulfan Sulfate (1031-07-8)			X												
14P. Endrin (72-20-8)			X												

Part C – Continued

1. POLLUTANT And CAS NO. (if available)	2. MARK "X"			3. EFFLUENT						d. No. of Analyses	4. UNITS		5. INTAKE (optional)		
	a. Testing Required	a. Believed Present	b. Believed Absent	a. Maximum Daily Value (1) Concentration	a. Maximum Daily Value (2) Mass	b. Maximum 30-Day Value (if available) (1) Concentration	b. Maximum 30-Day Value (if available) (2) Mass	c. Long-Term Avg. Value (if available) (1) Concentration	c. Long-Term Avg. Value (if available) (2) Mass		a. Concentration	b. Mass	a. Long-Term Avg Value (1) Concentration	a. Long-Term Avg Value (2) Mass	b. No. o Analys
GC/MS FRACTION – PESTICIDES															
15P. Endrin Aldehyde (7421-93-4)			X												
16P Heptachlor (76-44-8)			X												
17P. Heptaclor Epoxide (1024-57-3)			X												
18P. PCB-1242 (53469-21-9)			X												
19P. PCB-1254 (11097-69-1)			X												
20P. PCB-1221 (11104-28-2)			X												
21P. PCB-1232 (11141-16-5)			X												
22P. PCB-1248 (12672-29-6)			X												
23P. PCB-1260 (11096-82-5)			X												
24P. PCB-1016 (12674-11-2)			X												
25P. Toxaphene (8001-35-2)			X												

[redacted] STATE OF INDIANA
DEPARTMENT OF NATURAL RESOURCES
INDIANAPOLIS, INDIANA

7.5 MINU



September 4, 2007

Ms. Ann S. Workman
Division of Water KPDES Branch
Inventory & Data Management Section
Frankfort Office Park
14 Reilly Road
Frankfort KY 40601

RE: KYPDES Renewal Application (KY0001732)

Dear Ms. Workman

Enclosed with this letter are the following documents for the renewal application for Hunter's Heights, LLC:

- Form 1 KYPDES – Permit Application
- Form C KYPDES – Permit Application
- USGS Topographical Map
- Permit Fees

The forms have been completed using the 2005, 2006 discharge monitoring reports and are available if requested. The facility is being used for dry storage warehouse and office space. No production is being done at this location.

Please call me at 812.273.2045 at your earliest convenience if we need to discuss the renewal application in further detail.

Respectfully Submitted,

Timothy B. Breeding, Member

Hunters Heights, LLC
3638 N. State Road 7
Madison, IN 47250

NOV - 9 2007

November 5, 2007

Mrs. Sara Beard
Environmental Engineer Assistant III
Environmental and Public Protection Cabinet
KPDES Branch, Division of Water
14 Reilly Road
Frankfort, KY 40601-1190

Dear Sara:

Please find enclosed the revised Kentucky Pollutant Discharge Elimination System (KPDES) permit application. As mentioned in your letter dated October 18, 2007 we failed to disclose information on a few of the pollutants. I have revised the information specific to Ammonia.

I cannot provide pollutant information related to Hardness. Unfortunately we do not have any prior data related to this site. However, Mark Bates whom can be reached at 502-525-1176 may be able to provide you some of the missing information.

If you would like to discuss this further, please feel free to contact me at 812-273-2045.

Respectfully Submitted,

Member

Timothy Breeding, Member

ERNIE FLETCHER
GOVERNOR

ENVIRONMENTAL AND PUBLIC PROTECTION CABINET
DEPARTMENT FOR ENVIRONMENTAL PROTECTION
DIVISION OF WATER
14 REILLY ROAD
FRANKFORT, KENTUCKY 40601-1190
www.kentucky.gov

TERESA J. HILL
SECRETARY

December 13, 2007

Timothy Breeding
Hunters Heights, LLC
3638 N. State Road
Madison, IN 47250

Re: KPDES Application Complete
KPDES No.: KY0001732
Amerimax Building Products Inc
AI ID: 689
Activity ID: APE20070001
Carroll County, Kentucky

Dear Mr. Breeding,

Your revised Kentucky Pollutant Discharge Elimination System (KPDES) permit application for the above-referenced facility was received by the Division of Water on November 9, 2007. A completeness review of your permit application has been conducted. Please be aware that you may be asked to provide additional information to clarify, modify, or supplement your application material. In accordance with 401 KAR 5:075, Section 1(7) you are being provided written notification that your application has been deemed complete as of the date of this letter.

If you have any questions concerning this matter, please call me at (502) 564-8158, extension 590.

Sincerely,

Sara J Beard

Sara Beard
Environmental Engineer Assistant III
KPDES Branch
Division of Water

SJB
Enclosures
c: Florence Regional Office
Division of Water Files